

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/819,941	03/27/2001	Fred Stacey	020510-10.00	2962
7590 06/30/2005			EXAMINER	
Kris V. Kalidindi, Esq.			HAN, CLEMENCE S	
Potomac Patent Group, PLLC 2010 Corporate Ridge Suite 700 McLean, VA 22102			ART UNIT	PAPER NUMBER
			2665	
			DATE MAILED: 06/30/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.	Applicant(s)			
		09/819,941	STACEY ET AL.			
		Examiner	Art Unit			
		Clemence Han	2665			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SH THE   - Exter after - If the - If NO - Failu Any (	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a rep or period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be ly within the statutory minimum of thirty (30) o will apply and will expire SIX (6) MONTHS fro e, cause the application to become ABANDO	timely filed lays will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>07 F</u>	ebruary 2005.				
2a)⊠	This action is FINAL. 2b) This	s action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-15 is/are pending in the application 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) 1-15 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.				
Applicat	ion Papers		·			
9) ☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority (	under 35 U.S.C. § 119					
<ul> <li>12)  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some * c) None of:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
2) Notion (3) Infor	nt(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 er No(s)/Mail Date	4) Interview Summ Paper No(s)/Mai 5) Notice of Inform 6) Other:				

### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claim 8–12 are rejected under 35 U.S.C. 102(b) as being anticipated by Jaffe et al. (US 5,410,727).

In regard to claim 8, Jaffe teaches a method of processing a plurality of data streams in a digital subscriber line (DSL) system, comprising the acts of: calculating a plurality of input addresses for said plurality of data streams based on a plurality of input base addresses and a plurality of input offset addresses (Column 7 Line 4–10); storing a plurality of data from said plurality of data streams according to said plurality of input addresses (Column 9 Line 22–25); calculating a plurality of processor addresses for the stored plurality of data based on a plurality of processor base addresses and a plurality of processor offset addresses (Column 10 Line 7–10); processing, using a single instruction, the stored plurality of data according to said plurality of processor addresses (Column 10 Line 10–11); calculating a plurality of output addresses for the processed plurality of data based on a plurality of output base addresses and a plurality of output offset addresses;

Art Unit: 2665

outputting the processed plurality of data according to said plurality of output addresses (Column 10 Line 56 – Column 11 Line 6); and updating said plurality of input base addresses, said plurality of processor base addresses, and said plurality of output base addresses (Column 7 Line 15–23).

In regard to claim 9, Jaffe teaches a single instruction, multi data (SIMD) architecture for controlling the processing of plurality of data streams, comprising: a memory 330 that stores data from said plurality of data streams received from a plurality of channels; a processor 120, operatively coupled with said memory, that processes said data from said plurality of data streams; and a controller 370 that controls said processor, wherein storing said data in said memory de-couples a first operating rate of said processor and a second operating rate of said plurality of channels (Column 7 Line 40-59).

In regard to claim 10, Jaffe teaches said plurality of data streams carried in respective ones of said plurality of channels (Column 5 Line 59–66).

In regard to claim 11, Jaffe teaches a method of controlling processing of multiple data streams in a single instruction, multi data (SIMD) architecture, comprising the steps of: storing data from said multiple data streams in a memory as said data is received (Column 9 Line 22–25); at regular intervals, determining whether all of said data has been received; providing a signal indicating that all of

Art Unit: 2665

said data has been received (Column 8 Line 13–35); using said signal to determine which of said data to process (Column 10 Line 7–10); and processing said data in accordance with said signal (Column 10 Line 10–11).

In regard to claim 12, Jaffe teaches said multiple data streams are carried in respective ones of a plurality of channels (Column 5 Line 59–66).

## Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claim 1–7 and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jaffe et al. in view of Fleming et al. (US 5,448,706).

In regard to claim 1, Jaffe teaches a single instruction, multiple data (SIMD) controller for processing a plurality of data streams in a digital subscriber line (DSL) system, comprising: a plurality buffer circuits 330 that store data from said plurality of data streams; a plurality of address generation circuits 350 that access said data stored in said plurality of circular buffer circuits; a plurality of processor circuits 120 that process said data accessed by said plurality of address generation circuits; and a program control unit 370 that controls said plurality of processor circuits with an instruction. Jaffe, however, does not teach the circular buffer that store data from said plurality of data streams having independent data rates.

Art Unit: 2665

Fleming teaches the circular buffer 145 that store data from said plurality of data streams having independent data rates (Column 2 Line 67-68). It would have been obvious to one skilled in the art to modify Jaffe to use the circular buffer as taught by Fleming in order to minimize the amount of storage capacity required (Column 2 Line 10-12).

In regard to claim 2, Jaffe teaches a first section 310 that stores one or more symbols before being processed; a second section 140 that stores said one or more symbols being processed; and a third section 310 that stores said one or more symbols after being processed.

In regard to claim 3, Jaffe teaches one of said plurality of address generation circuits comprising a symbol manager circuit that generates an input base address, a processor base address, and an output base address, wherein said one of said plurality of address generation circuits further receives an input offset address, a processor offset address, and an output offset address, and generates an input address, a processor address, and an output address in accordance with said input base address, said processor base address, and said output base address (Column 6 Line 61 – Column 7 Line 23).

Art Unit: 2665

In regard to claim 4, Jaffe teaches said plurality of processor circuits further receive a plurality of enable signals and selectively process said data based on said plurality of enable signals (Column 8 Line 13–35).

In regard to claim 5, Jaffe teaches said plurality of address generation circuits further selectively generate a plurality of enable signals, depending upon whether a full symbol is ready for processing in each of said plurality of address generation circuits (Column 8 Line 13–35).

In regard to claim 6, Jaffe teaches said plurality of processor circuits further receive said plurality of enable signals and to selectively process said data based on said plurality of enable signals (Column 8 Line 13–35).

In regard to claim 7, Jaffe teaches said plurality of address generation circuits further selectively generate a plurality of enable signals, depending upon a difference between an input base address and a processor base address in each of said plurality of address generation circuits (Column 8 Line 13–35).

In regard to claim 13, Jaffe teaches a method of controlling processing of multiple data streams in a single instruction, multi data (SIMD) architecture, comprising the steps of: storing data from said multiple data streams in a memory as said data is received (Column 9 Line 22–25); at regular intervals, determining whether all of said data has been received; providing a signal indicating that all of

Art Unit: 2665

said data has been received (Column 8 Line 13–35); using said signal to determine which of said data to process (Column 10 Line 7–10); and processing said data in accordance with said signal (Column 10 Line 10–11). Jaffe, however, does not teach said multiple data streams having independent data rates. Fleming teaches the multiple data streams having independent data rates (Column 2 Line 67-68). It would have been obvious to one skilled in the art to modify Jaffe to have multiple data streams having independent data rates as taught by Fleming in order to process multiple input channels (Column 2 Line 30-39).

In regard to claim 14, Jaffe teaches a single instruction, multi data (SIMD) architecture for controlling the processing of plurality of data streams, comprising: a memory 330 that stores data from said plurality of data streams received from a plurality of channels; a processor 120, operatively coupled with said memory, that processes said data from said plurality of data streams; and a controller 370 that controls said processor, wherein storing said data in said memory de-couples a first operating rate of said processor and a second operating rate of said plurality of channels (Column 7 Line 40-59). Jaffe, however, does not teach said plurality of data streams having independent data rates. Fleming teaches the plurality of data streams having independent data rates (Column 2 Line 67-68). It would have been obvious to one skilled in the art to modify Jaffe to have plurality of data streams

Art Unit: 2665

having independent data rates as taught by Fleming in order to process multiple input channels (Column 2 Line 30-39).

In regard to claim 15, Jaffe teaches a method of processing a plurality of data streams in a digital subscriber line (DSL) system, comprising the acts of: calculating a plurality of input addresses for said plurality of data streams based on a plurality of input base addresses and a plurality of input offset addresses (Column 7 Line 4–10); storing a plurality of data from said plurality of data streams according to said plurality of input addresses (Column 9 Line 22-25); calculating a plurality of processor addresses for the stored plurality of data based on a plurality of processor base addresses and a plurality of processor offset addresses (Column 10 Line 7–10); processing, using a single instruction, the stored plurality of data according to said plurality of processor addresses (Column 10 Line 10-11); calculating a plurality of output addresses for the processed plurality of data based on a plurality of output base addresses and a plurality of output offset addresses; outputting the processed plurality of data according to said plurality of output addresses (Column 10 Line 56 - Column 11 Line 6); and updating said plurality of input base addresses, said plurality of processor base addresses, and said plurality of output base addresses (Column 7 Line 15–23). Jaffe, however, does not teach said plurality of data streams having independent data rates. Fleming teaches the

Application/Control Number: 09/819,941 Page 9

Art Unit: 2665

plurality of data streams having independent data rates (Column 2 Line 67-68). It would have been obvious to one skilled in the art to modify Jaffe to have plurality of data streams having independent data rates as taught by Fleming in order to process multiple input channels (Column 2 Line 30-39).

## Response to Arguments

- 5. Applicant's arguments with respect to claim 1-7 have been considered but are most in view of the new ground(s) of rejection.
- 6. Applicant's arguments with respect to claim 8, 9 and 11 have been fully considered but they are not persuasive.

In response to page 8, applicant argues that Jaffe fails to disclose a plurality of data streams in a digital subscriber line system. Jaffe teaches a plurality of data stream (Column 5 Line 59-66, also see Figure 3). Jaffe, however, does not teach digital subscriber line system. The recitation "digital subscriber line system" has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535

Art Unit: 2665

F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).

### **Conclusion**

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Clemence Han whose telephone number is

Art Unit: 2665

(571) 272-3158. The examiner can normally be reached on Monday-Thursday 7 -

5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571) 272-3155. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Clemence Han Examiner

C.H.

Page 11

Art Unit 2665

STEVEN NGUYEN PRIMARY EXAMINER